





# STANDART RANGE

## CONCAVE SERIES


**HSC/2**  
HALF SIZE CURVED  
ELEMENT  
60X60 mm




**HSC**  
HALF SIZE CURVED  
ELEMENT  
122X60 mm



**FSC**  
FULL SIZE CURVED  
ELEMENT  
245X60 mm





**FSC**  
SEMI-CURVED  
ELEMENT  
245X100 mm





- It has a long life time.
- Heat transfer is quite good.
- It gives the energy similar the solar energy.
- Ceramical body absorb dangerous rays and provide healty heating.
- Standart range voltage 220-230 V.

## FLAT SERIES



**SFE**  
SQUARE FLAT  
ELEMENT  
100X100 mm




**LTE**  
LARGE TILE  
ELEMENT  
120X120 mm



**HSF**  
HALF SIZE FLAT  
ELEMENT  
122X60 mm



**FSF**  
FULL SIZE FLAT  
ELEMENT  
245X60 mm




# QUARTZ SERIES

## QUARTZ

QUARTZ

ELEMENT

122X63 mm




## QUARTZ

QUARTZ

ELEMENT

245X63 mm




## QUARTZ

QUARTZ

ELEMENT

122X122 mm



## QUARTZ

QUARTZ

ELEMENT

245X122 mm

